



PTO/SB/08 Equivalent

INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Multiple sheets used when necessary) SHEET 1 OF 1	Application No.	10/691,444
	Filing Date	October 22, 2003
	First Named Inventor	Paul E. Denney
	Art Unit	2877
	Examiner	Fannie L. Evans
	Attorney Docket No.	LOMASR.026A

U.S. PATENT DOCUMENTS

Examiner Initials	Cite No.	Document Number	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
FLE	1	6,664,504 B2	12/16/2003	Bertez	
	2	6,667,458 B1	12/23/2003	Sirat	
	3	7,038,166 B2	05/02/2006	Denney et al. (Atty. Docket No. LOMASR.024A)	
	4	2004/0182840 A1	09/23/2004	Denney et al. (Atty. Docket No. LOMASR.021A)	
	5	2004/0182841 A1	09/23/2004	Denney et al. (Atty. Docket No. LOMASR.025A)	
	6	2004/0182842 A1	09/23/2004	Denney et al. (Atty. Docket No. LOMASR.023CP1)	
	7	2004/0182999 A1	09/23/2004	Denney et al. (Atty. Docket No. LOMASR.026CP1)	
	8	2004/0208212 A1	10/21/2004	Denney et al. (Atty. Docket No. LOMASR.021CP1)	
	9	2004/0040150 A1	02/24/2005	Denney et al. (Atty. Docket No. LOMASR.023A)	
FLE	10	2006/0085650 A1	03/30/2006	Guo	

FOREIGN PATENT DOCUMENTS

Examiner Initials	Cite No.	Foreign Patent Document	Publication Date	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ¹
FLE	11	EP 1 236 535 A1	09/04/2002	Comau S.p.A.		
FLE	12	PCT/US2005/029027 (ISR dated 01/26/2006)	08/16/2004	Loma Linda University Medical Center (Atty. Docket No. LOMASR.021QPC)		

NON PATENT LITERATURE DOCUMENTS

Examiner Initials	Cite No.	Include name of the author, title of the article, title of the item, date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ¹

2669703
060906

Examiner Signature	/F. L. Evans/	Date Considered	10/02/2006
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.			

T¹ - Place a check mark in this area when an English language Translation is attached.